Application No. 1443/3

NOTICE OF DRAFTSPERSON'S PATENT DRAWING REVIEW

approved by the Draftsperson under 37 CFR 1.84 or 1.152.

B. Dobjected to by the Draftsperson under 37 CFR 1.84 or 1.152 for the reasons indicated below. The Examiner will require submission of new, corrected drawings when necessary. Corrected drawing must be sumitted according to the instructions on the back of this notice.

1. DRAWINOS. 37 CPR 1.84(p): Acceptable categories of drawings: Black Ink: Color. Color drawings are not acceptable until petition is granted. Fig(s) Pericul and non black ink not permitted. Fig(s) Pericul and non black ink not permitted. Fig(s) Photographic double-weight paperb. Fig(s) Photographic double-weight paperb. Fig(s) Top Der PAPER. 37 CPR 1.84(p) Top 1.54 (p) Passare, alterations, overwritings, interlineations, Collids, Copy mechinic marks not acceptable. Fig(s) Passare, alterations, overwritings, interlineations, Collids, Copy mechinic marks not acceptable tize. 21.6 cm by 27,9 cm (8 1/2, 11 inches) Ald indiving shocks not the sidne size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable size. Fig(s) Fig(s) Top 25 cm Left 25 cm Right 15 cm Bottom 1.0 cm Size: 81/2 xi 1, 23 B Top 25 cm Left 25 cm Right 15 cm Bottom 1.0 cm Size: 81/2 xi 1, 23 B Top 25 cm Left 25 cm Right 15 cm Bottom 1.0 cm Size: 81/2 xi 1, 23 B Top 25 cm Left 25 cm Right 15 cm Bottom 1.0 cm Size: 81/2 xi 1, 23 B Top 25 cm Left 25 cm Right 15 cm Bottom 1.0 cm Size: 81/2 xi 1, 23 B Top 25 cm Left 25 cm Right 15 cm Bottom 1.0 cm Size: 81/2 xi 1, 23 B Top 25 cm Left 25 cm Right 15 cm Bottom 1.0 cm Size: 81/2 xi 1, 23 B Top 25 cm Left 25 cm Right 15 cm Bottom 1.0 cm Size: 81/2 xi 1, 23 B Top 25 cm Left 25 cm Right 15 cm Bottom 1.0 cm Size: 81/2 xi 1, 23 B Top 25 cm Left 25 cm Right 15 cm Bottom 1.0 cm Size: 81/2 xi 1, 23 B Top 25 cm Left 25 cm Right 15 cm Bottom 1.0 cm Size: 81/2 xi 1, 23 B Top 25 cm Left 25 cm Right 15 cm Bottom 1.0 cm Size: 81/2 xi 1, 23 B Top 25 cm Left 25 cm Right 15 cm Bottom 1.0 cm Size: 81/2 xi 1, 23 B Top 25 cm Left 25 cm Right 15 cm Bottom 1.0 cm Size: 81/2 xi 1/2 xi 2/2 cm Left (1) S Reminder conscariately and the size cm Left (1) S Top 25 cm Left 125 cm Right 15 cm Bottom 1.0 cm Size: 81/2 xi 2/2 cm Left (1) S Numbers and reference characters must be at least 12 cm Left (1) S N		
COMMENTS when page is either upright or turned so that the top becomes the right side, except for graphs. Fig(s) PRICTICE APPER. 37 CFR 1.84(p). Fig(s) 1. full-tone set is required. Fig(s) Photographic double-weight paper). Fig(s) Proper paraghs not properly. Fig(s) Type OF PAPER. 37 CFR 1.84(p). Fig(s) Type OF PAPER. 37 CFR 1.84(p). Fig(s) Size of PAPER. 37 CFR 1.84(p). Acceptable (too thin). Fig(s) Mylart, velum paper is not acceptable (too thin). Fig(s) Type of PAPER. 37 CFR 1.84(p). Acceptable sizes: 21.6 cm by 27.9 cm (3 1/2 x 11 inches) All dirawing sheets not an acceptable size. Fig(s) Drawings sheets not seem size. Fig(s) Drawings sheets not seem size. Fig(s) Top 25 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Size. A4 Size. Type (Type 1.84(p). Debottom (B) Remin (R) Fig(s) Type (Type 1.84(p). Acceptable margins: Type (Type 2.84(p). Acceptable margins: Type (1. DRAWINGS. 37 CFR 1.84(a): Acceptable categories of drawings:	8. ARRANGEMENT OF VIEWS. 37 CFR 1.84(i)
COMMENTS when page is either upright or turned so that the top becomes the right side, except for graphs. Fig(s) PRICTICE APPER. 37 CFR 1.84(p). Fig(s) 1. full-tone set is required. Fig(s) Photographic double-weight paper). Fig(s) Proper paraghs not properly. Fig(s) Type OF PAPER. 37 CFR 1.84(p). Fig(s) Type OF PAPER. 37 CFR 1.84(p). Fig(s) Size of PAPER. 37 CFR 1.84(p). Acceptable (too thin). Fig(s) Mylart, velum paper is not acceptable (too thin). Fig(s) Type of PAPER. 37 CFR 1.84(p). Acceptable sizes: 21.6 cm by 27.9 cm (3 1/2 x 11 inches) All dirawing sheets not an acceptable size. Fig(s) Drawings sheets not seem size. Fig(s) Drawings sheets not seem size. Fig(s) Top 25 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Size. A4 Size. Type (Type 1.84(p). Debottom (B) Remin (R) Fig(s) Type (Type 1.84(p). Acceptable margins: Type (Type 2.84(p). Acceptable margins: Type (Black ink. Color.	Words do not appear on a horizontal, left-to-right fashion
becomes the right side, except for graphs. Fig(s) Pencit and non black ink not permitted. Fig(s) Poot graphs not properly mounted (must use brystol board or photographs not properly mounted (must use brystol board or photographs double-weight paper). Fig(s) Proor quality (half-tone). Fig(s) Paper not flexible, strong; white, and durable. Fig(s) Paper not flexible, and durable. Fig(s) Paper lamber. Paper not flexible, and durable. Fig(s) P	Color drawings are not acceptable until netiton is granted.	
Pencil and non black ink not permitted. Fig(s) 2 PHOTOGRAPHS. 37 CFR 1.84(p) 1 full-tone set is required. Fig(s) 1 full-tone set is required. Fig(s) Photographic double-weight paper). Fig(s) Foor quality (half-tone). Fig(s) 2. TYPE OF PAPER. 37 CFR 1.84(p) Paper not flexible, strong, white, and durable. Fig(s) 2 Passures, alterations, overwritings, intertineations. 5 (olds, copy machine marks not accepted. Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) 1. StADING. 37 CFR 1.84(p): Acceptable sizes: 2.1.6 cm by 27.9 cm (6) 12/z 11 inches) All drawing sheets not less size. Sheet(s) Drawings sheets not an acceptable size. Sheet(s) Drawings sheets not an acceptable size. Sheet(s) Drawings sheets not an acceptable size. Size: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Size: 18/2x, 11. Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Size: 18/2x, 11. Top (T) Right (R) Bottom (B) 4. VIEWS. 37 CFR 1.84(h) Rejkt (R) Bottom (B) Fig(s) Fi		
2. PHOTOGRAPHS. 37 CFR 1.84 (b) 1. Inflicence set is required. Fig(s) Photographs not properly mounted (must use brystol board or photographs couble-weight paper). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(g) Paper on the fixthle, strong, white, and durable. Fig(s) Paper on the fixthle, strong, white, and durable. Fig(s) Paper on the fixthle, strong, white, and durable. Fig(s) Paper on the fixthle, strong, white, and durable. Fig(s) Paper on the fixthle, strong, white, and durable. Fig(s) Paper on the fixthle, strong, white, and durable. Fig(s) Paper on the fixthle, strong, white, and durable. Fig(s) Paper on the fixthle, strong, white, and durable. Fig(s) Paper on the fixthle, strong, white, and durable. Fig(s) Paper on the fixthle, strong, white, and durable. Fig(s) Paper on the fixthle, strong, white, and durable. Fig(s) Paper on the fixthle, strong, white, and durable. Fig(s) Paper on the fixthle, strong, white, and durable. Fig(s) Paper on the fixthle, strong, white, and durable. Fig(s) Paper on the fixthle, strong, white, and durable. Fig(s) Paper on the fixthle, strong, white, and durable. Fig(s) Paper on the fixthle, strong, white, and durable. Fig(s) Paper on the fixthle, strong, white, and durable. Fig(s) Paper on the fixthle, strong, white, and durable. Fig(s) Paper on the fixthle, strong, white, and durable. Fig(s) Paper on the fixthle, strong, white, and durable. Fig(s) Paper on the fixthle, strong, white, and durable. Fig(s) Paper on the fixthle, strong, white, and durable. Fig(s) Paper on the fixthle, strong, white, and durable. Fig(s) Paper on the fixthle, strong, white, and durable. Fig(s) Paper on the fixthle, strong, white, and durable. Fig(s) Paper on the fixthle, strong, white, and durable. Fig(s) Paper on the fixthle, strong, white, and durable. Fig(s) Paper on the fixthle, strong, white, and durable. Fig(s) Paper legands are poor. Fig(s) Pap		
I full-tone set is required. Fig(s)		
Photographs not properly mounted (must use brystol board or photographic double-weight paper), Fig(s) Foor quality (half-tone), Fig(s) TYPE OF PAPER, 37 CFR 1.84(c) Figes per not flexible, strong, white, and durable. Fig(s) Zrazures, alterations, overwritings, interlineations, 55 folds, copy machine marks not acceptable (Fig(s)) Mylar, velum paper is not acceptable (too thin). Fig(s) V. SIZE OF PAPER, 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) 21.6 cm by 27.9 cm (B 1/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Size; 81/25 cm Right 1.5 cm Bottom 1.0 cm Size; 81/25 in Right 1.5 cm Bottom 1.0 cm Size; 81/25 in Right 1.5 cm Bottom 1.0 cm Size; 81/25 in Right 1.5 cm Bottom 1.0 cm Size; 81/25 in Right 1.5 cm Bottom 1.0 cm Size; 81/25 in Right 1.5 cm Bottom 1.0 cm Size; 81/25 in Right 1.5 cm Bottom 1.0 cm Size; 81/25 in Right 1.5 cm Bottom 1.0 cm Size; 81/25 in Right 1.5 cm Bottom 1.0 cm Size; 81/25 in Right 1.5 cm Bottom 1.0 cm Size; 81/25 in Right 1.5 cm Bottom 1.0 cm Size; 81/25 in Right 1.5 cm Bottom 1.0 cm Size; 81/25 in Right 1.5 cm Bottom 1.0 cm Size; 81/25 in Right 1.5 cm Bottom 1.0 cm Size; 81/25 in Right 1.5 cm Bottom 1.0 cm Size; 81/25 in Right 1.5 cm Bottom 1.0 cm Size; 81/25 in Right 1.5 cm Bottom 1.0 cm Size; 81/25 in Right 1.5 cm Bottom 1.0 cm Size; 81/25 in Right 1.5 cm Bottom 1.0 cm Size; 81/25 in Right 1.5 cm Bottom 1.0 cm Size; 81/25 in Right 1.5 cm Bottom 1.0 cm Size; 81/25 in Right 1.5 cm Bottom 1.0 cm Size; 81/25 in Right 1.5 cm Bottom 1.0 cm Size; 81/25 in Right 1.5 cm Bottom 1.0 cm Size; 81/25 in Right 1.5 cm Bottom 1.0 cm Size; 81/25 in Right 1.5 cm Bottom 1.0 cm Size; 81/25 in Right 1.5 cm Bottom 1.0 cm Size; 81/25 in Right 1.5 cm Bottom 1.0 cm Size; 81/25 in Right 1.5 cm Bottom 1.0 cm Size; 81/25 in Right 1.5 cm Bottom 1.0 cm Size; 81/25 in Right 1.5 cm Bottom 1.0 cm Size; 81/25 in Right 1.5 cm Bottom 1.0 cm Size; 81/25 in Right 1.5 cm Bottom 1.0 cm Size; 8		
photographic double-weight paper). Fig(s) For quality (half-tone). Fig(s) For quality (half-tone). Fig(s) Faper not flexible, strong, white, and durable. Fig(s) Faper not flexible, strong, white, and durable. Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) 21.6 cm by 27.9 cm (81/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARCHEN, 37 CFR 1.84(p). Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 81/2 x 11 Margins not acceptable. Fig(s) Drawings not acceptable. Fig(s) Weight (R) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) COMMENTS SOID BLARACTER OF LINES, NUMBERS, & LETTERS. 37 CFR 1.84(n) Lines, numbers & letters not uniformly thick and well defined clean, durable, and black (poor line quality). Fig(s) Lines, numbers & letters not uniformly thick and well defined clean, durable, and black (poor line quality). Fig(s) Solid black areas pale. Fig(s) Solid black shadin pot permitted. Fig(s) Solid black shadin pot uniformly black areas pale. Fi		
Foor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 3 TCFR 1.84(s) Faper not flexible, strong; white, and durable. Fig(s) 2. Prasures, alterations, overwritings, interlineations, 5.5 folds, copy machine marks not acceptable (too thin). Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) 2.1.0 cm by 29.7 cm (DIN size A4) 2.1.6 cm by 27.9 cm (8 1/2 x 11 inches) All drawing sheets not an acceptable sizes. Sheet(s) Drawings sheets not an acceptable size. Sheet(s) Drawings sheets not an acceptable size. Sheet(s) Drawings sheets not an acceptable size. Sheet(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: B 1/2 x 11 Margins not acceptable. Fig(s) Top (T) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) Pradial views. 37 CFR 1.84(h) Brackste needd ot show figure as one entity. Fig(s) Enlarged view not labeled separately or property. Fig(s) Enlarged view not labeled separately or property. Fig(s) Enlarged view not labeled separately or property. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) COMMENTS 10. CHARACTER OF LINES, NUMBERS, & LETTERS. 37 CFR 1.84(p) Lines, numbers & letters not uniformly thick and well defined cleen, ghrish, and black (poor line quality). Fig(s) Lines, numbers & letters not uniformly thick and well defined acceptable. Fig(s) Solid black shading not permitted. Fig(s) Solid black shading not permitted. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Lead lines cross each other. Fig(s) Lead lines missing. Fig(s) Numbers and reference characters must be at least 32 cm (l/8 incl) pleight. 37 CFR 1.84(p)(3) Fig(s) Lead lines missing. Fig(s) Numbers and reference characters must be at least 32 cm (l/8 incl) pleight. 37 C		
3. TYPE OF PAPER. 37 CFR 1.84(c) Paper not flexible, strong; white, and durable. Fig(s) Paper not flexible, strong; white, and durable. Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) 2.1.6 cm by 27.9 cm (DIN size A4) 2.1.6 cm by 27.9 cm (DIN size A4) All drawing sheets not an acceptable sizes: 2.1.6 cm by 27.9 cm (R 1/2 x 11 inches) All drawing sheets not an acceptable size. Sheet(s) Drawings sheets not an acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top (T) Right (R) Fig(s) Solor black sheets not an acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 81/2x 11 Margins not scoeptable. Fig(s) Right (R) Fig(s) Parial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Weeve not labeled separately or properly. Fig(s) Brackets needed to show figure as one entity. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) COMMENTS		
Paper not flexible, strong; white, and durable. Fig(s) Drawners, alterations, overwritings, intertineations, 25 Mylar, velum paper is not acceptable. Fig(s) Mylar, velum paper is not acceptable (no thin). Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.6 cm by 27.9 cm (B1 1/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 84 /2 x 11 Ragin (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) PREMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h) Brackets needed to show figure as one entity. Fig(s) Brackets needed to show figure as one entity. Fig(s) Brackets needed to show figure as one entity. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) COMMENTS Lines, numbers & letters and laback (poor line quality). Fig(s) Solid black shading not permitted. Fig(s) Numbers and reference characters not oriented in the same size. Numbers and reference characters not oriented in the same direction are reference characters must be at least 3.7 CFR 1.84(p) (1) Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Fig(s) Solid black shading not ore fig(s) Numbers and reference characters mot oriented in the same direction are reference characters mot oriented in the same direction are reference characters mot oriented in the same direction are reference characters mot oriented in the same direction are reference characters mot oriented in the same direction are reference characters mot oriented in the same direction are reference characters mot oriented in the same direction are reference character		
Fig(s) Prasures, alterations, overwritings, interlineations, 25 Folds, copy machine marks not accepted. Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) 21.6 cm by 27.9 cm (8 1/2 x 11 inches) All drawing sheets not an acceptable sizes. 21.6 cm by 27.9 cm (8 1/2 x 11 inches) All drawing sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable size. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top (1) Left (L) Partial views. 37 CFR 1.84(n) Brackets needed to show figure as one entity. Fig(s) Lead lines cross each other. Fig(s) Lead lines cross each other. Fig(s) Lead lines cross each other. Fig(s) Shade lines, pale, rough and blurred. Fig(s) Lead lines cross each other. Fig(s) Lead lines cross each other. Fig(s) Lead lines cross each other. Fig(s) Shade lines, pale, rough and blurred. Fig(s) Lead lines cross each other. Fig(s) Shade lines, pale, rough and blurred. Fig(s) Lead lines cross each other. Fig(s) Sumbars and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Figs Numbers, letters and reference characters must be at least 32 cm (µ8 light) pale light and legible. Fig(s) Lead lines cross each other. Fig(s) Sheets not numbered consecutively, and in Arabic numerals, beginning with number 1. Sheet(s) Lead lines cross each other. Fig(s) Numbers, letters and reference characters must be at least 32 cm (µ8 light) pale light and legible. Fig(
Mylar, velum paper is not acceptable (too thin). Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) 21.6 cm by 27.9 cm (S 1/2 x 11 inches) All drawing sheits not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Fig(s) Prigure legends are poor. Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers, letters and reference characters must be at least 3.2 cm (V8 inchi) height. 37 CFR 1.84(p)(3) Fig(s) Numbers, letters and reference characters must be at least 3.2 cm (V8 inchi) height. 37 CFR 1.84(p)(3) Fig(s) Numbers, letters and reference characters must be at least 3.2 cm (V8 inchi) height. 37 CFR 1.84(p)(3) Fig(s) Numbers, letters and reference characters must be at least 3.2 cm (V8 inchi) height. 37 CFR 1.84(p)(3) Fig(s) Numbers, letters and reference characters must be at least 3.2 cm (V8 inchi) height. 37 CFR 1.84(p)(3) Fig(s) Numbers, letters and reference characters must be at least 3.2 cm (V8 inchi) height. 37 CFR 1.84(p)(3) Fig(s) Numbers, letters and reference characters must be at least 3.2 cm (V8 inchi) height. 37 CFR 1.84(p)(3) Fig(s) Numbers, letters and reference characters must be at least 3.2 cm (V8 inchi) height. 37 CFR 1.84(p)(3) Fig(s) Numbers, letters and reference characters must be at least 3.2 cm (V8 inchi) height. 37 CFR 1.84(p)(3) Fig(s) Numbers, letters and reference characters must be at least 3.2 cm (V8 inchi) height. 37 CFR 1.84(p)(3) Fig(s) Numbers, letters and reference characters must be at least 3.2 cm (V8 inchi) height. 37 CFR 1.84(p)(3) Fig(s) Numbers, letters and reference characters must be at least 3.2 cm (V8 inchi) height.		
Mylar, velum paper is not acceptable (too thin). Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) 21.6 cm by 27.9 cm (S 1/2 x 11 inches) All drawing sheits not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Fig(s) Prigure legends are poor. Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers, letters and reference characters must be at least 3.2 cm (V8 inchi) height. 37 CFR 1.84(p)(3) Fig(s) Numbers, letters and reference characters must be at least 3.2 cm (V8 inchi) height. 37 CFR 1.84(p)(3) Fig(s) Numbers, letters and reference characters must be at least 3.2 cm (V8 inchi) height. 37 CFR 1.84(p)(3) Fig(s) Numbers, letters and reference characters must be at least 3.2 cm (V8 inchi) height. 37 CFR 1.84(p)(3) Fig(s) Numbers, letters and reference characters must be at least 3.2 cm (V8 inchi) height. 37 CFR 1.84(p)(3) Fig(s) Numbers, letters and reference characters must be at least 3.2 cm (V8 inchi) height. 37 CFR 1.84(p)(3) Fig(s) Numbers, letters and reference characters must be at least 3.2 cm (V8 inchi) height. 37 CFR 1.84(p)(3) Fig(s) Numbers, letters and reference characters must be at least 3.2 cm (V8 inchi) height. 37 CFR 1.84(p)(3) Fig(s) Numbers, letters and reference characters must be at least 3.2 cm (V8 inchi) height. 37 CFR 1.84(p)(3) Fig(s) Numbers, letters and reference characters must be at least 3.2 cm (V8 inchi) height. 37 CFR 1.84(p)(3) Fig(s) Numbers, letters and reference characters must be at least 3.2 cm (V8 inchi) height. 37 CFR 1.84(p)(3) Fig(s) Numbers, letters and reference characters must be at least 3.2 cm (V8 inchi) height.	Fig(s)	
Mylar, velum paper is not acceptable (too thin). Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) 21.6 cm by 27.9 cm (S 1/2 x 11 inches) All drawing sheits not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Fig(s) Prigure legends are poor. Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers, letters and reference characters must be at least 3.2 cm (V8 inchi) height. 37 CFR 1.84(p)(3) Fig(s) Numbers, letters and reference characters must be at least 3.2 cm (V8 inchi) height. 37 CFR 1.84(p)(3) Fig(s) Numbers, letters and reference characters must be at least 3.2 cm (V8 inchi) height. 37 CFR 1.84(p)(3) Fig(s) Numbers, letters and reference characters must be at least 3.2 cm (V8 inchi) height. 37 CFR 1.84(p)(3) Fig(s) Numbers, letters and reference characters must be at least 3.2 cm (V8 inchi) height. 37 CFR 1.84(p)(3) Fig(s) Numbers, letters and reference characters must be at least 3.2 cm (V8 inchi) height. 37 CFR 1.84(p)(3) Fig(s) Numbers, letters and reference characters must be at least 3.2 cm (V8 inchi) height. 37 CFR 1.84(p)(3) Fig(s) Numbers, letters and reference characters must be at least 3.2 cm (V8 inchi) height. 37 CFR 1.84(p)(3) Fig(s) Numbers, letters and reference characters must be at least 3.2 cm (V8 inchi) height. 37 CFR 1.84(p)(3) Fig(s) Numbers, letters and reference characters must be at least 3.2 cm (V8 inchi) height. 37 CFR 1.84(p)(3) Fig(s) Numbers, letters and reference characters must be at least 3.2 cm (V8 inchi) height. 37 CFR 1.84(p)(3) Fig(s) Numbers, letters and reference characters must be at least 3.2 cm (V8 inchi) height.	Erasures, alterations, overwritings, interlineations,	
Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) 21.6 cm by 29.7 cm (DIN size A4) 22.7 cm (Din size A4) 23.7 cm (Din size A4) 24.7 cm (Din size A4) 25.8 cm (Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size 25.9 cm (Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size 26.9 Top (T) 27.9 cm (Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size 27.0 cm (Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size 32. cm (Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size 32. cm (Left 2.5 cm Right 1.5 cm Bottom (Din size A4) 32. cm (Left 2.5 cm Right 1.5 cm Bottom (Din size A4) 32. cm (Left 2.5 cm Right 1.5 cm Bottom (Din size A4) 32. cm (Left 2.5 cm Right 1.5 cm Bottom (Din size A4) 32. cm (Left 2.5 cm Right 1.5 cm Bottom (Din size A4) 32. cm (Left 2.5 cm Right 1.5 cm Bottom (Din size A4) 32. cm (Left 2.5 cm Right 1.5 cm Bottom (Din size A4) 32. cm (Left 2.5 cm Right 1.5 cm Bottom (Din size A4) 32. cm (Left 2.5 cm Right 1.5 cm Bottom (Din size A4) 32. cm (Left 2.5 cm Right 1.5 cm Bottom (Din size A4) 32. cm (Left 2.5 cm Right 1.5 cm Bottom (Din size A4) 32. cm (Left 2.5 cm Right 1.5 cm Bottom (Din size A4) 32. cm (Left (Din size A4) 32. cm (Left 2.5 cm Right 1.5 cm Bottom (Din size A4) 32. cm (Left 2.5 cm Right 1.5 cm Bottom (Din size A4) 32. cm (Left 2.5 cm Right 1.5 cm Bottom (Din size A4) 32. cm (Left 2.5 cm Right 1.5 cm Bottom (Din size A4) 32. cm (Left 2.5 cm Right 1.5 cm Bottom (Din size A4) 32. cm (Left 2.5 cm Right 1.5 cm Bottom (Din size A4) 32. cm (Left 2.5 cm Right 1.5 cm Bottom (Din size A4) 32. cm (Left 2.5 cm Right 1.5 cm Bottom (Din size A4) 32. cm (Left 2.5 cm Right 1.5 cm Bottom (Din size A4) 32. cm (folds, copy machine marks not accepted. Fig(s)	11. SHADING. 37 CFR 1.84(m)
4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 27.0 cm (BIN size A4) 21.6 cm by 27.9 cm (8 1/2 x 11 inches) All drawings sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 81/2 x 11 Margins not acceptable. Fig(s) Top (T) Right (R) Bottom (B) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) COMMENTS Shade lines, pale, rough and blurred. Fig(s) 12. NUMBERS. LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Size: 81/2 x 11 25 Numbers and reference characters must be at least 22 cm (1/8 inch.) in height. 37 CFR 1.84(p)(2) Fig(s) Lead lines ross each other. Fig(s) Lead lines ross each other. Fig(s) Lead lines cross each other. Fig(s) Lead lines smissing. Fig(s) Numbers on unmbered consecutively, and in Arabic numerals, beginning with number 1. Sheet(s) Views not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) COMMENTS.	Mylar, velum paper is not acceptable (too thin).	Solid black areas pale. Fig(s)
4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 27.0 cm (BIN size A4) 21.6 cm by 27.9 cm (8 1/2 x 11 inches) All drawings sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 81/2 x 11 Margins not acceptable. Fig(s) Top (T) Right (R) Bottom (B) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) COMMENTS Shade lines, pale, rough and blurred. Fig(s) 12. NUMBERS. LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Size: 81/2 x 11 25 Numbers and reference characters must be at least 22 cm (1/8 inch.) in height. 37 CFR 1.84(p)(2) Fig(s) Lead lines ross each other. Fig(s) Lead lines ross each other. Fig(s) Lead lines cross each other. Fig(s) Lead lines smissing. Fig(s) Numbers on unmbered consecutively, and in Arabic numerals, beginning with number 1. Sheet(s) Views not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) COMMENTS.	Fig(s)	Solid black shading not permitted. Fig(s)
21.6 cm by 29.7 cm (BIX size A4) 21.6 cm by 27.9 cm (B IZ x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: B1/2 x 11 Margins not acceptable. Fig(s) Top (T) Right (R) Bottom (B) Emily Bottom (B) Brackets needed to show figure as one entity. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) COMMENTS 12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Characters not priain and legible. Fig(s) Numbers and reference characters not oriented in the same directions as the view. 37 CFR 1.84(p)(1) Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Fig(s) Lead lines missing. Fig(s) 13. LEAD LINES. 37 CFR 1.84(p)(3) Fig(s) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Sheet(s) beginning with number 1. Fig(s) CORRECTIONS. 37 CFR 1.84(w) Corrections not made from prior PTO-948 dated 17. DESIGN DRAWINGS. 37 CFR 1.84(w) Socional designation should be noted with Arabic or Roman numbers. Fig(s) COMMENTS.	4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes:	Shade lines, pale, rough and blurred. Fig(s)
21.6 cm by 27.9 cm (8 1/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A5 Size: A6 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A5 Size: A6 Size Top (1) Right (R) Reminder: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)/2 Brackets needed to show figure as one entity. Fig(s) Views not labeled separately or properly. Fig(s) Enlarged view mol labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) COMMENTS 37 CFR 1.84(p) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Numbers and reference characters must be at least 3.2 cm (1/8 inchl) in height. 37 CFR 1.84(p)(2) Fig(s) Lead lines missing. Fig(s) 18. LEAD LINES. 37 CFR 1.84(p)(3) Sheets not numbered consecutively, and in Arabic numerals beginning with number 1. Sheet(s) Views not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) COMMENTS		
All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS, 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 81/2 x 11 Margins not acceptable. Fig(s) Right (R) Right (R) Fig(s) Partial views. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Views not labeled separately or property. Fig(s) Ealarged view not labeled separately or property. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) COMMENTS Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Lead lines and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Lead lines and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Lead lines cross each other. Fig(s) Lead lines cross each other. Fig(s) Sheets not numbered consecutively, and in Arabic numerals, beginning with number 1. Sheet(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Number		
Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s) Top (T) Right (R) Remind (R) Remind (R) Remind (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Wiews not labeled separately or property. Fig(s) Enlarged view not labeled separately or property. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) COMMENTS Fig(s) Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) COMMENTS Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Fig(s) COMMENTS		
Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm		
SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: B4 Size Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Views not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) COMMENTS Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Fig(s) Lead lines missing. Fig(s) Lead lines missing. Fig(s) Lead lines missing. Fig(s) Lead lines missing. Fig(s) Lead lines missing. Fig(s) Lead lines missing. Fig(s) Sheets not numbered consecutively, and in Arabic numerals beginning with number 1. Sheet(s) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) Corrections not made from prior PTO-948 dated 17. DESIGN DRAWINGS. 37 CFR 1.84(w) Corrections not made from prior PTO-948 dated 18. DESIGN DRAWINGS. 37 CFR 1.84(w) Corrections not made from prior PTO-948 dated 19. DESIGN DRAWINGS. 37 CFR 1.85 Fig(s) Solid black shading not used for color contrast. Fig(s) Fig		
Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 81/2 x 11 Margins not acceptable. Fig(s) Top (T) Right (R) VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or ROMMENTS Same direction as the view. 37 CFR 1.84(p)(2) Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Figs Numbers, letters and reference characters must be at least 32 cm (1/8 inch jn height. 37 CFR 1.84(p)(3) Fig(s) Lead lines cross each other. Fig(s) Lead lines cross each other. Fig(s) Lead lines cross each other. Fig(s) Sheets not numbered consecutively, and in Arabic numerals, beginning with number 1. Sheet(s) Views not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) COMMENTS Same direction as the view. 37 CFR 1.84(p)(2) Figs Ladl lines cross each other. Fig(s) Lead lines cross each other. Fig(s) Lead lines cross each other. Fig(s) Lead lines cross each other. Fig(s) Sheets not numbered consecutively, and in Arabic numerals, beginning with number 1. Sheet(s) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) Corrections. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) Solid black shading not used for color contrast. Fig(s) Solid black shading not used for color contrast. Fig(s)		
Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 81/2 x 11. Margins not acceptable. Fig(s) Top (T) Right (R) Right (R) Reminder Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h) Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or ROMATENTS Fig(s) Fig(s) SIZE: A4 Size Numbers, letters and reference characters must be at least 3.2 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) Fig(s) Lead lines cross each other. Fig(s) Lead lines cross each other. Fig(s) Lead lines missing. Fig(s) Sheets not numbered consecutively, and in Arabic numerals beginning with number 1. Sheet(s) Sheets not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) Views not labeled separately or properly. Fig(s) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) COMMENTS		
SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 17.2 x 11 Margins not acceptable. Fig(s)		
Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8.1/2 x 11		
Margins not acceptable. Fig(s) 73B		
Margins not acceptable. Fig(s) Top (T) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) COMMENTS 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) Fig(s) Lead lines cross each other. Fig(s) Lead lines missing. Fig(s) Lead lines missing. Fig(s) Sheets not numbered consecutively, and in Arabic numerals beginning with number 1. Sheet(s) Views not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) COMMENTS		
Right (R) L Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Views not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) An Enlarged view not labeled separately or properly. Fig(s) An Enlarged view not labeled for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) COMMENTS 13. LEAD LINES. 37 CFR 1.84(q) Lead lines cross each other. Fig(s) Sheets not numbered consecutively, and in Arabic numerals beginning with number 1. Sheet(s) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) 16. CORRECTIONS. 37 CFR 1.84(w) CRECTIONS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) Solid plack shading not make the property of the p	SIZE 81/2×11 7 3D 6 11 11 0 0	
Right (R) L Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Views not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) An Enlarged view not labeled separately or properly. Fig(s) An Enlarged view not labeled for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) COMMENTS 13. LEAD LINES. 37 CFR 1.84(q) Lead lines cross each other. Fig(s) Sheets not numbered consecutively, and in Arabic numerals beginning with number 1. Sheet(s) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) 16. CORRECTIONS. 37 CFR 1.84(w) CRECTIONS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) Solid plack shading not make the property of the p	Margins not acceptable. Fig(s)	.32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3)
6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Views not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) COMMENTS Lead lines cross each other: Fig(s) Sheets not numbered consecutively, and in Arabic numerals beginning with number 1. Sheet(s) Views not labeled separately or properly. Fig(s) Corrections. 37 CFR 1.84(u) Corrections not made from prior PTO-948 dated 17. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black shading not used for color contrast. Fig(s) COMMENTS	Top (T) Lieft (L) I I I I	$Fig(s) = 2H_1 = 2H_2$
REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Views not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) SECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) COMMENTS Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(t) Separate on numbered consecutively, and in Arabic numerals, beginning with number 1. Sheet(s) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) CORRECTIONS. 37 CFR 1.84(w) Corrections not made from prior PTO-948 dated 17. DESIGN DRAWINGS. 37 CFR 1.52 Surface shading shown not appropriate. Fig(s) Solid black shading not used for color contrast. Fig(s) Fig(s) COMMENTS		
correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Views not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) COMMENTS 14. NUMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(l) Sheets not numbered consecutively, and in Arabic numerals, beginning with number 1. Sheet(s) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) Corrections. 37 CFR 1.84(u) Corrections not made from prior PTO-948 dated 17. DESIGN DRAWINGS. 37 CFR 1.52 Surface shading shown not appropriate. Fig(s) Solid black shading not used for color contrast. Fig(s) Fig(s) COMMENTS	6. VIEWS. 37 CFR 1.84(h)	Lead lines cross each other. Fig(s)
Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Views not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) COMMENTS.	REMINDER: Specification may require revision to	— Lead lines missing. Fig(s)
Brackets needed to show figure as one entity. Fig(s) Views not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) COMMENTS beginning with number 1. Sheet(s) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) CORRECTIONS. 37 CFR 1.84(w) Corrections not made from prior PTO-948 dated 17. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black shading not used for color contrast. Fig(s) COMMENTS	correspond to drawing changes.	 NUMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(i)
Brackets needed to show figure as one entity. Fig(s)	Partial views. 37 CFR 1.84(h)(2)	Sheets not numbered consecutively, and in Arabic numerals
Fig(s) Views not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) SECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) CORRECTIONS. 37 CFR 1.84(w) Corrections not made from prior PTO-948 dated 17. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black shading not used for color contrast. Fig(s) COMMENTS	Brackets needed to show figure as one entity.	
Views not labeled separately or properly. Fig(s) Enlarged view not labeled separetely or properly. Fig(s) Sectional VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) Corrections. 37 CFR 1.84(w) Corrections not made from prior PTO-948 dated 17. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black shading not used for color contrast. Fig(s) Fig(s) Fig(s) COMMENTS		
Fig(s) beginning with number 1. Fig(s) 16. CORRECTIONS, 37 CFR 1.84(w) Fig(s) 16. CORRECTIONS, 37 CFR 1.84(w) Corrections not made from prior PTO-948 dated 17. DESIGN DRAWINGS, 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) 5. Solid black shading not used for color contrast. Fig(s) 6. Fig(s) 7. SOLID RAWINGS 17 CFR 1.152 Surface shading shown not appropriate. Fig(s) 5. Solid black shading not used for color contrast. Fig(s) 6. Fig(s) 7. Solid black shading not used for color contrast.		
Enlarged view not labeled separetely or properly. Fig(s) Note the separetely of properly. Fig(s) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) COMMENTS 16. CORRECTIONS. 37 CFR 1.84(w) Corrections not made from prior PTO-948 dated 17. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black shading not used for color contrast. Fig(s) Fig(s) COMMENTS	, 	
Fig(s) Corrections not made from prior PTO-948 dated dated dated 17. DESIGN DRAWINGS. 37 CFR 1.152 Fig(s) Sectional designation should be noted with Arabic or Solid black shading not used for color contrast. Roman numbers. Fig(s) Fig(s) Solid black shading not used for color contrast. Fig(s) Solid black shading not used for color contrast.		
7. SECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) COMMENTS		
Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s)		
Fig(s) Surface shading shown not appropriate. Fig(s) Solid black shading not used for color contrast. Roman numbers. Fig(s) Fig(s) Solid black shading not used for color contrast.		
Sectional designation should be noted with Arabic orSolid black shading not used for color contrast. Roman numbers. Fig(s)		· ·
Roman numbers. Fig(s)		
COMMENTS		
COMMENTS - F16. LEC. LWST BE PARALLEL TO F16 (F16.15)	Koman numbers. Fig(s)	rig(s)
COMMENTS - FIG. LEC. LWST BE PARALLEL TO FIG. (FIG. 15)		
COMMENTS - FIG. LEC. LWST BE PARALLEL TO FIG. (FIG. 25)		
COMMENTS - FIG. LEC. LWST BE PARALLEL TO FIG. (FIG. 25)		
- F16. LEC. MUST BE PARALLEL TO F16 (F16.15)	COMMENTS	•
- +16. CEC. MUST BE PAKALLEL 10 +16 (F16. 15)	CU 100 11 1/2 20 00001	ICI TA TU
(H6.15)	1 - HG. LEE. MUST BE HAKAL	tte 10 Hb .
CI W. P.J.		(AG 16)
	,	
	<u> </u>	

ATTACHMENT TO PAPER NO.

INFORMATION ON HOW TO EFFECT DRAWING CHANGES

1. Correction of Informalities--37 CFR 1.85

File new drawings with the changes incorporated therein. The application number or the title of the invention, inventor's name, docket number (if any), and the name and telephone number of a person to call if the Office is unable to match the drawings to the proper application, should be placed on the back of each sheet of drawings in accordance with 37 CFR 1.84(c). Applicant may delay filing of the new drawings until receipt of the Notice of Allowability (PTOL-37). Extensions of time may be obtained under the provisions of 37 CFR 1.136. The drawing should be filed as a separate paper with a transmittal letter addressed to the Drawing Processing Branch.

2. Timing for Corrections

Applicant is required to submit acceptable corrected drawings within the three-month shortened statutory period set in the Notice of Allowability (PTOL/37). If a correction is determined to be unacceptable by the Office, applicant must arrange to have acceptable corrections resubmitted within the original three-month period to avoid the necessity of obtaining an extension of time and paying the extension fee. Therefore, applicant should file corrected drawings as soon a possible.

Failure to take corrective action within set (or extended) period will result in ABANDONMENT of the Application.

3. Corrections other than Informalities Noted by the Drawing Review Branch on the Form PTO-948

All changes to the drawings other than informalities noted by the Drawing Review Branch, MUST be approved by the examiner before the application will be allowed. No changes will be permitted to be made, other than correction of informalities, unless the examiner has approved the proposed changes.

Attachment for PTO-948 (Rev. 03/01, or earlier) 6/18/01

The below text replaces the pre-printed text under the heading, "Information on How to Effect Drawing Changes," on the back of the PTO-948 (Rev. 03/01, or earlier) form.

INFORMATION ON HOW TO EFFECT DRAWING CHANGES

1. Correction of Informalities -- 37 CFR 1.85

New corrected drawings must be filed with the changes incorporated therein Identifying indicia, if provided, should include the title of the invention, inventor's name, and application number, or docket number (if any) if an application number has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet and centered within the top margin. If corrected drawings are required in a Notice of Allowability (PTOL-37), the new drawings MUST be filed within the THREE MONTH shortened statutory period set for reply in the Notice of Allowability. Extensions of time may NOT be obtained under the provisions of 37 CFR 1.136(a) or (b) for filing the corrected drawings after the mailing of a Notice of Allowability. The drawings should be filed as a separate paper with a transmittal letter addressed to the Official Draftsperson.

人.

2. Corrections other than Informalities Noted by Draftsperson on form PTO-948.

All changes to the drawings, other than informalities noted by the Draftsperson. MUST be made in the same manner as above except that, normally, a highlighted (preferably red ink) sketch of the changes to be incorporated into the new drawings MUST be approved by the examiner before the application will be allowed. No changes will be permitted to be made, other than correction of informalities, unless the examiner has approved the proposed changes.

Timing of Corrections

Applicant is required to submit the drawing corrections within the time period set in the attached Office communication. See 37 CFR 1.85(a).

Failure to take corrective action within the set period will result in **ABANDONMENT** of the application.